



QR CODE



UNIVERSAL SWITCH GEAR CONTROL

DETERMINED TO PERFORM

COMPLETE SOLUTION
OF PANEL

- CRCA PANEL
- POLYCARBONATE PANEL
- STAINLESS STEEL PANEL

PLC & SCADA BASED
AUTOMATION SYSTEM

- WATER SUPPLY MGMT. SYSTEM
- POWER GRID DIST. SYSTEM
- SEWAGE TREATMENT PLANT

(CPRI SHORT CIRCUIT, IP-54, IP-65 & ERDA)

Office :- 167, Vardhaman Grand Plaza, Mangalam Palace, Sec - 3 Rohini
New Delhi-110085

Email id : usgc_universal@yahoo.com,

Web : www.usgindia.com

Mob. No. : 9810166946





UNIVERSAL

DETERMIND TO PERFORM

E.O.T & H.O.T CRANES

(Product Price List w.e.f. 01-August-2020)

MORE THAN 31 YEARS PROTECTING YOUR EQUIPMENTS



PRODUCT RANGE

SHROUDED BUS BAR



INDUSTRIAL BRAKE



CRANE LIMIT SWITCHES



RESISTANCE BOX & MASTER CONTROLLERS



BRAKE DRUM & GEAR COUPLING



ANTI COLLISION DEVICE



CABLE CARRIER



PENDANT STATION



DSL LAMP INDICATOR & V.V.F. DRIVES



CABLES



CABLE TROLLEY



RADIO REMOTE CONTROL



- ❖ CURRENT COLLECTOR
- ❖ CARBEN BRUSH
- ❖ ABONITE BUSH
- ❖ REEL INSULATOR
- ❖ LIMIT SWITCHES
- ❖ MASTER CONTROLLERS
- ❖ DRUM CONTROLLERS
- ❖ PUSH BUTTON STATIONS
- ❖ RESISTANCE BOXES,
- ❖ ELECTRO HYDRAULIC THRUSTOR
- ❖ ELECTRO HYDRAULIC THRUSTOR BRAKES
- ❖ ELECTRO MAGNETIC BRAKE A .C. SHOE TYPE
- ❖ ELECTRO MAGNETIC CLUTCH D .C.
- ❖ ELECTRO MAGNETIC BRAKE D .C. DISC TYPE
- ❖ TRANSFORMER RECT. UNIT D.C.
- ❖ BRAKE DRUM / BRAKE DRUM CUPLINGS
- ❖ HALF GEARED / FULL GEARED CUPLINGS
- ❖ E.O.T. CRANE CONTROL PANEL & SWITCH GEARS
- ❖ TIME SWITCHES, POWER CONTROL CENTER (P.C.C)
- ❖ A.P.F.C. PANEL , MOTOR CONTROL CENTERS
- ❖ BUS TRUNKING (UPTO 4000A), FEEDER PILLARS
- ❖ PROGRAMMABLE LOGIC CONTROLLER PANEL
- ❖ RISING MAIN (UPTO 1600A), PROCESS CONTOL PANEL
- ❖ AUTO SLIPRING MOTOR STARTOR (1000 H.P.)
- ❖ AMF PANELS & LOAD SHARING PANELS
- ❖ PHASE SEQUENCE CORECTOR , KIOSKS BOX
- ❖ PANELS FOR AIRCONDITIONING PLANTS , AHU PANEL
- ❖ H.V.A.C PANEL, POWER DISTRIBUTION BOARD

CRANE SPARE





w.e.f. 01/08/2020

**BOTTOM BLOCK WIRE ROPE LONG SHUNK
“ C ” TYPE IS : 3815**

BOTTOM BLOCK 0.5 TON TO 1 TON TWO FALL	RS.	5240.00
BOTTOM BLOCK 2 TON TWO FALL	RS.	8370.00
BOTTOM BLOCK 3 TON TWO FALL	RS.	9420.00
BOTTOM BLOCK 4 TON TWO FALL	RS.	11530.00
BOTTOM BLOCK 5 TON TWO FALL	RS.	11200.00
BOTTOM BLOCK 1 TON FOUR FALL	RS.	13420.00
BOTTOM BLOCK 2 TON FOUR FALL	RS.	18810.00
BOTTOM BLOCK 3 TON FOUR FALL	RS.	22170.00
BOTTOM BLOCK 4 TON FOUR FALL	RS.	24550.00
BOTTOM BLOCK 5 TON FOUR FALL	RS.	29700.00
BOTTOM BLOCK 10 TON FOUR FALL	RS.	51480.00

**PLANE LONG SHUNK “ C ” TYPE FORGED STEEL HOOK
IS : 3815 / 1969**

MILD STEEL HOOK 1 TON	RS.	3700.00
MILD STEEL HOOK 2 TON	RS.	6750.00
MILD STEEL HOOK 3 TON	RS.	7560.00
MILD STEEL HOOK 4 TON	RS.	8670.00
MILD STEEL HOOK 5 TON	RS.	9545.00
MILD STEEL HOOK 10 TON	RS.	18880.00
MILD STEEL HOOK 20 TON	RS.	37105.00

DAMPER ANTI VIBRATION BUFFER

RUBBER BUFFER ROUND 100 MM WITH BOLTS	RS.	633.00
RUBBER BUFFER ROUND 150 MM WITH BOLTS	RS.	858.00
RUBBER BUFFER ROUND 200 MM WITH BOLTS	RS.	1080.00
RUBBER BUFFER SQUARE 100 MM X 200 MM WITH BOLTS	RS.	3310.00
M.S. SPRING LOADED JACKET BUFFER 200 MM X 150 MM	RS.	6864.00

M.S. " L " TYPE BRACKET

M.S. " L " BRACKET BORE 90 MM (22210)	RS.	2110.00
M.S. " L " BRACKET BORE 100 MM (22211, 22309)	RS.	2210.00
M.S. " L " BRACKET BORE 110 MM (22212)	RS.	2610.00
M.S. " L " BRACKET BORE 125 MM (22214)	RS.	2940.00
M.S. " L " BRACKET BORE 140 MM (22216)	RS.	3570.00
M.S. " L " BRACKET BORE 150 MM (22217)	RS.	4870.00
M.S. " L " BRACKET BORE 160 MM (22318)	RS.	5940.00
M.S. " L " BRACKET BORE 170 MM (22316)	RS.	7101.00



M.S. BREAK DRUM

M.S. BREAK DRUM 100 MM	RS.	2085.00
M.S. BREAK DRUM 140 MM	RS.	3326.00
M.S. BREAK DRUM 150 MM	RS.	3484.00
M.S. BREAK DRUM 160 MM	RS.	3643.00
M.S. BREAK DRUM 180 MM	RS.	3722.00
M.S. BREAK DRUM 200 MM	RS.	4197.00
M.S. BREAK DRUM 250 MM	RS.	6969.00
M.S. BREAK DRUM 300 MM	RS.	13384.00
M.S. BREAK DRUM 400 MM	RS.	32472.00



w.e.f. 01/08/2020

GEAR COUPLINGS

<u>SIZE</u>	<u>FULL GEAR COUPLING</u>	<u>SPACE OF BORE</u>	<u>HALF GEAR + HALF RIGID</u>
S0	RS. 3168.00	60 mm	RS. 3168.00
S1	RS. 3960.00	70 mm	RS. 3550.00
S2	RS. 4224.00	80 mm	RS. 4140.00
S3	RS. 5148.00	90 mm	RS. 5016.00
S4	RS. 8778.00	110 mm	RS. 8870.00
S5	RS. 11616.00	140 mm	RS. 11985.00
S6	RS. 13332.00	180 mm	RS. 13530.00

GEARD BRAKE DRUM COPLINGS

100 Dia. With S1 builtin teeth	RS. 4290.00	
4" Dia With S1 builtin teeth	RS. 4290.00	
5.5" Dia With S1 builtin teeth	RS. 4699.00	
150 mm Dia With S2 builtin teeth	RS. 4950.00	
178 mm Dia With S2 builtin teeth	RS. 5108.00	
200 mm Dia With S2 buitin teeth	RS. 5781.00	
200 mm Dia With S1 BOLTED.	RS. 5781.00	
200 mm Dia With S2 BOLTED .	RS. 6072.00	out of solid forged steel.
250 mm Dia With S2 BOLTED.	RS. 9715.00	out of solid forged steel.
300 mm Dia With S2 BOLTED.	RS. 10626.00	out of solid forged steel.
400 mm Dia With S3 BOLTED.	RS. 11853.00	fabricated steel.

UNIVERSAL ELECTRO MAGNETIC CLUTCH

MODEL : V-013	RS.	5768.00
MODEL : V-155	RS.	7774.00
MODEL : V-200	RS.	13080.00
MODEL : V-230	RS.	15378.00
MODEL : V-300	RS.	23964.00
MODEL : V-350	RS.	30492.00
MODEL : V-400	RS.	38280.00

UNIVERSAL TRANSFORMER RECT. UNIT 415 / 24 D.C. . METAL ENCL.) NAT.COLED .

MODEL : V-013	RS.	5174.00
MODEL : V-155	RS.	5248.00
MODEL : V-200	RS.	5781.00
MODEL : V-230	RS.	6230.00
MODEL : V-300	RS.	7101.00
MODEL : V-350	RS.	7986.00
MODEL : V-400	RS.	8910.00

UNIVERSAL CURRENT COLLECTOR CARBON BRUSH , ABONITE BUSH

CURRENT COLLECTOR WITH CARBON BRUSH 150MM	RS.	1742.00
CURRENT COLLECTOR WITH PORCELANE INSULATOR	RS.	2059.00
CURRENT COLLECTOR MADE OUT BRASS 135MM X 97MM	RS.	2138.00
CURRENT COLLECTOR M.S. WITH BRASS REEL 165 X 16MM	RS.	2059.00
CURRENT COLLECTOR WITH C.I. BUFFER	RS.	3630.00
CURRENT COLLECTOR GRAVITY SPRING RETURN TYPE	RS.	5016.00
CARBON BRUSH M8 GRADE 75 X 50 X 50MM	RS.	630.00
CARBON BRUSH M8 GRADE 75 X 20 X 20MM	RS.	396.00
ABONITE BUSH (MALE / FEMALE)	RS.	960.00
PENTAGRAPH CURRENT COLLECTOR WITH CARBON BRUSH AND ABONITE BRUSH 150MM	RS.	2640.00

REEL INSULATOR

REEL INSULATOR 150MM	RS.	237.00
REEL INSULATOR 100MM	RS.	211.00
SEG INSULATOR NYLON SPACER TYPE WITH STUD 140MM	RS.	258.00
CARBON BRUSH HOLDER WITH CARBON	RS.	2072.00
SEG BRACKET THREE WAY WITH 100 MM REEL INSULATOR	RS.	2666.00
SEG BRACKET FOUR WAY WITH 150 MM REEL INSULATOR	RS.	3168.00



w.e.f. 01/08/2020

ROTARY LIMIT SWITCH

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>PRICE</u> <u>IP41</u>	<u>PRICE</u> <u>IP54</u>
RG / LS / 2C	ROTARY GEARD TYPE SHUNT LIMIT SWITCH GEAR RATIO. 48 : 1 WITH (TWO CONTACT) (1 NO + 1 NC)	7603.00	9134.00
RG / LS / 4C	ROTARY GEARD TYPE SHUNT LIMIT SWITCH GEAR RATIO. 48 : 1 WITH (FOUR CONTACT) (2 NO + 2 NC)	8830.00	10395.00



PUSH BUTTON STATIONS ALU. DIECAST ENCLOSURE

PUSH BUTTON STATION WITHOUT PUSH BUTTON 2 WAY	RS.	831.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 4 WAY	RS.	1518.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 6 WAY	RS.	2006.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 8 WAY	RS.	2204.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 10 WAY	RS.	2560.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 12 WAY	RS.	3036.00

PUSH BUTTON STATIONS SHEET STEEL ENCLOSURE

PUSH BUTTON STATION WITHOUT PUSH BUTTON 2 WAY	RS.	660.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 4 WAY	RS.	1067.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 6 WAY	RS.	1610.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 8 WAY	RS.	1927.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 10 WAY	RS.	2402.00
PUSH BUTTON STATION WITHOUT PUSH BUTTON 12 WAY	RS.	2877.00



w.e.f. 01/08/2020

STEP DOWN TRANSFORMER D\WOUND

STEP DOWN TRANSFORMER 415\110 V. A.C. 25 VA	RS.	140.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 50 VA	RS.	484.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 100 VA	RS.	860.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 150 VA	RS.	1300.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 200 VA	RS.	1755.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 250 VA	RS.	2160.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 300 VA	RS.	2534.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 400 VA	RS.	3350.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 500 VA	RS.	4120.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 750 VA	RS.	6060.00
STEP DOWN TRANSFORMER 415\110 V. A.C. 1 KVA	RS.	7195.00
STEP DOWN TRANSFORMER 415\220 V. A.C. 0.5 KVA	RS.	4160.00
STEP DOWN TRANSFORMER 415\220 V. A.C. 1 KVA	RS.	8620.00
STEP DOWN TRANSFORMER 415\220 V. A.C. 1.5 KVA	RS.	11090.00
STEP DOWN TRANSFORMER 415\220 V. A.C. 2 KVA	RS.	15580.00
STEP DOWN TRANSFORMER 415\220 V. A.C. 3 KVA	RS.	23360.00
STEP DOWN TRANSFORMER 415\220 V. A.C. 4 KVA	RS.	31020.00
STEP DOWN TRANSFORMER 415\220 V. A.C. 5 KVA	RS.	38410.00



w.e.f. 01/08/2020

D.C. FAIL SAFE BRAKES SLDC. SERIES

<u>MODEL</u>	<u>WATT</u>	<u>TORQUE</u> <u>K. G. M.</u>	<u>RS.</u>
75	22	0.25	13800.00
100	25	0.6	15360.00
110	35	1.0	16200.00
130	40	2.0	16800.00
150	75	2.0	17520.00
170	70	5.0	18120.00
195	60	8.0	19020.00
230	60	14.0	22800.00
265	125	25.0	27720.00

D.C. FAIL SAFE BRAKES SHOE TYPE

<u>MODEL</u>	<u>40% C.D.F.</u> <u>TORQUE</u> <u>K.G.M.</u>	<u>VOLTAGE</u>	<u>WATT</u>	<u>DRUM DIA</u>	<u>RS.</u>
D.C. -100	2	24	30	100	6666.00
D.C. -150	6	24	30	150	8774.00
D.C. -200	13	24	70	200	10824.00
D.C. -250	20	24	70	250	11946.00
D.C. -300	35	24	100	300	13464.00
D.C.-400	75	24/190	200	400	14190.00



w.e.f. 01/08/2020

LEVER TYPE LIM SWITCH 40 AMPS.

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>PRICE</u> <u>IP41</u>	<u>PRICE</u> <u>IP54</u>
LS / 1SH / 1	ONE WAY LEVER TYPE SHUNT LIMIT SWITCH	3181.00	3550.00
LS / 2SH / 2	TWO WAY LEVER TYPE SERIES LIMIT SWITCH (TWO CONTACT)	3458.00	4158.00
LS / 2SH / 3	TWO WAY LEVER TYPE SHUNT LIMIT SWITCH (THREE CONTACT)	3498.00	4725.00
LS / 2SH / 4	TWO WAY LEVER TYPE SHUNT LIMIT SWITCH (FOUR CONTACT)	4158.00	4989.00



COUNTER WEIGHT OPERATED LIMIT SWITCH

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>PRICE</u> <u>IP41</u>	<u>PRICE</u> <u>IP54</u>
CWLS / ISH / 1	ONE WAY WEIGHT OPERATED SHUNT LIMIT SWITCH (ONE CONTACT)	3168.00	2550.00
CWLS / ISH / 2	ONE WAY WEIGHT OPERATED SHUNT LIMIT SWITCH (TWO CONTACT)	3577.00	4224.00
CWLS / 1	ONE WAY WEIGHT OPERATED SERIES LIMIT SWITCH (THREE CONTACT)	3841.00	4831.00



w.e.f. 01/08/2020

SINGLE PHASE ELECTRO MAGNETIC BRAKES.

<u>SIZE</u>	<u>CLASS " A " INSULATION</u>	<u>CLASS " B " INSULATION</u>
100 MM DIA 4"	3194.00	3564.00
150 MM DIA 6"	3696.00	4329.00
200 MM DIA 8"	4752.00	5346.00
250 MM DIA 10"	6336.00	6468.00
300 MM DIA 12"	8778.00	9372.00
350 MM DIA 15"	10890.00	11550.00



THREE PHASE ELECTRO MAGNETIC BRAKES.

<u>SIZE</u>	<u>CLASS " A " INSULATION</u>	<u>CLASS " B " INSULATION</u>
150 MM DIA 6" 33 LBS	12302.00	12896.00
200 MM DIA 8" 33 LBS	14058.00	16392.00
250 MM DIA 10 " 33 LBS	14916.00	17280.00
300 MM DIA 12" 33 LBS	17160.00	18018.00
460 MM DIA 15 " 66 LBS	19008.00	20394.00
500/ 535 MM DIA 21" 150 LBS	33660.00	33924.00



w.e.f. 01/08/2020

TIMER

REVERSING \ FORWARDING TIMER MOTORISED 1 N.O. + 1.N.C. WITH M.S ENCLOSURE	RS.	1848.00
CASTLE LOCK WITH KEY	RS.	1188.00
TIMER AC / DC ON DELAY , TYPE NO. USGC 100 AC : 110, 220 V,; DC : 12 , 24 V 1-10, 3-30, 10-100 SEC	RS.	1214.00
TIMER AC / DC ON DELAY , TYPE NO. USGC 110 AC : 110, 220 V,; DC : 12 , 24 V 1-10, 3-30, 6-60 MIN	RS.	1386.00
TIMER AC / DC ON DELAY / STOPING TIMER , TYPE NO. USGC 130 AC : 110, 220 V,; DC : 12 , 24 V 1-10, 3-30, 6-60 SEC / MIN SEPARATE AUX. SUPPLY 24 V	RS.	1452.00
SIGNAL OFF DELAY TIMER , TYPE NO. USGC 132 AC : 110 , 220 V , DC : 12 , 24 V	RS.	1518.00
1-10 ,3-30 , 6-60 SEC / MIN	RS.	1650.00
CYCLIC / PRIMING TIMER , TYPE NO. USGC 140 AC : 110, 220 V, DC : 12 , 24 V	RS.	2085.00
ONTIME & OFFTIME SETABLE 1-10, 3-30 , 6-60 SEC / MIN	RS.	2244.00
ENGINE START RELAY , TYPE NO. USGC 150 DC : 12 , 24 V FOR GENSET 3 CRANKS ON & OFF TIMES 0-30 SEC SETABLE	RS.	2376.00
VOLTAGE RELAY (1PHASE) UVR / OVR , TYPE NO. USGC 200 TRIP TIME : 0-10 SEC	RS.	2244.00
ALTERNATOR VOLTAGE RELAY (1PHASE) TYPE NO. USGC 202 TRIP TIME : 0-10 SEC	RS.	2244.00

w.e.f. 01/08/2020

VOLTAGE RELAY (3PHASE) UVR / OVR TYPE NO. USGC 210 3 PHASES AC 110, 440V , SETTING 75-100 / 300-400 V TRIP TIME : 0 – 10 SEC INTERNAL	RS.	2600.00
ALTERNATOR VOLTAGE RELAY UVR / OVR (3 PHASE) SETTING 75-100 / 300-400 V TYPE NO. USDC 212 TRIP TIME : 0 – 10 SEC INTERNAL	RS.	2706.00
VOLTAGE RELAY 220V (1PHASE) TYPE NO. USGC 230 UNDER + OVER SINGLE PHASE 110, 220V TRIP TIME : 4 SEC FIXED	RS.	2772.00
VOLTAGE RELAY 415V (1 PHASE) TYPE NO. USGC 240 SINGLE PHASE 110, 440V SETTING UV : 75 –100 / 300-400 V SETTING OV : 100 – 120 / 400 – 500 V TRIP TIME : 4 SEC FIXED	RS.	3630.00
OVER CURRENT RELAY TYPE NO. USGC 510 NO DIRECTIONAL DEFINITE (1 PHASE) SETTING : (0.5 – 5 / 1 0.1-1 AMP.)	RS.	3036.00
EARTH FAULT RELAY TYPE NO. USGC 5201 NON DIRECTIONAL DEFINITE (1 PHASE) TIME & ADJUSTABLE SETTING SETTING : (0.5 –5 / 1-10 / 0.1- 1 AMP.)	RS.	3036.00
EARTH LEAKAGE RELAY TYPE NO. USGC 560 LEAKAGE CURRENT ADJUSTABLE CONTINUSLY RANGE : 100- 500 / 100 – 1000 MA	RS.	2666.00
FREQUENCY RELAY UNDER / OVER TYPE NO. USGC 700 110,220,440 V AC SETTING UNDER : 45-50 Hz , SETTING OVER : 50-55Hz	RS.	3075.00
REVERSE POWER RELAY TYPE NO. USGC 800 SENSITIVE POLARZIED DIRECTIONAL RELAY TIME SETTING 0-10 SEC ADJUSTABLE 110, 220, 440 V AC, CT 1/5 AMP. SENSITIVE 4 % TO 16 % ANNUCATOR UNITS DC : 12 , 24 V	RS.	3300.00

w.e.f. 01/08/2020

FOUR FAULT TYPE NO. USGC 930	RS.	549.00
EIGHT FAULT TYPE NO. USGC 931	RS.	10678.00
TEN FAULT TYPE NO. USGC 932	RS.	14520.00
FIELD FAILURE RELAY TYPE NO. USGC 610 CHECKS EXCITATION CURRENT & VOLTAGE AUX. SUPPLY : 12 , 24 V DC . V DC . V & 1 0 – 110 VAC / DC : 1 OR 5A SETTING DELAY 0-10 SEC	RS.	9609.00
OVER CURRENT RELAY TYPE NO. USGC 530 NON DIRECTIONAL DEFINITE (3 PHASE) TIME & ADJUSTABLE SETTING SETTING : (0.5-5 / 1-10/0.1-1 AMP.)	RS.	5042.00

A.C. POLY PHASE ELECTROMAGNETIC BRAKES SHOE TYPE

<u>SIZE</u>	<u>CLASS 'A' INSULATION</u>	<u>CLASS 'B' INSULATION</u>
100 MM ϕ - 4 " 33 LBS	RS. 7392.00	RS. 8118.00
150 MM ϕ - 6 " 33 LBS	RS. 8421.00	RS. 9081.00
200 MM ϕ - 8 " 33 LBS	RS. 9306.00	RS. 9794.00
250 MM ϕ - 10 " 33 LBS	RS. 9636.00	RS. 10164.00
300 MM ϕ - 12 " 33 LBS	RS. 9900.00	RS. 11550.00
380 \ 400 MM ϕ - 150 LBS	RS. 12210.00	RS. 13068.00
460 MM ϕ - 18 " 150 LBS	RS. 17556.00	RS. 19404.00
535 \ 500 MM ϕ - 210 LBS	RS. 19866.00	RS. 21780.00



CABLE TROLLY

CABLE RESTING TROLLY WITH NYLON SINGLE ROLLER	RS.	1386.00
CABLE RESTING TROLLY M.S WHEEL (WITH FOUR BALL BEARING)	RS.	1392.00
CABLE RESTING TROLLY COATED ALU. CASTED (WITH FOUR WHEEL BEARINGS)	RS.	2376.00



THRUSTOR



THRUSTOR BRAKES

w.e.f. 01/08/2020

UNIVERSAL ELECTRO HYDRAULIC THRUSTOR

<u>LBS</u>	<u>KGS</u>	<u>TYPE</u>	<u>PRICE(Rs.)</u>
40	18	ST-520	12870.00
75	34	ST-535	24277.00
100	46	ST-545	31304.00
150	68	ST-870	33939.00
250	114	ST-8100	40488.00
500	226	ST-13200	71940.00
650	295	ST-13500	82500.00

UNIVERSAL ELECTRO HYDRALIC THRUSTOR BRAKES

<u>TYPE</u>		<u>PRICE(RS.)</u>
MDT 4-40	MDT 100-18	15114.00
MDT 6-40	MDT 150-18	16664.00
MDT 8-40	MDT 200-18	18314.00
MDT 8-75	MDT 200-34	22604.00
MDT 10-40	MDT 250-18	20460.00
MDT 10-75	MDT 250-34	24420.00
MDT 12-40	MDT 300-18	25244.00
MDT 12-75	MDT 300-34	29204.00
MDT 15-75	MDT 400-34	35804.00
MDT 15-100	MDT 400-46	39600.00
MDT 15-150	MDT 400-68	45044.00
MDT 18-100	MDT 500-46	53624.00
MDT 18-150	MDT 500-68	61459.00



w.e.f. 01/08/2020

MASTER CONTROLLERS

TYPE	No. of Contacts	Price(RS.)
CMN / 3	3	3135.00
CMN / 4	4	3696.00
CMN / 5	5	4260.00
CMN / 6	6	4818.00
CMN / 7	7	5676.00
CMN / 8	8	6240.00
CMN / 9	9	6864.00
CMN / 10	10	7458.00
CMN / 11	11	8052.00
CMN / 12	12	8606.00
CMN / 13	13	9754.00
CMN / 14	14	10328.00
CMN / 15	15	10903.00
CMN / 16	16	11484.00
CMN / 17	17	12600.00
CMN / 18	18	12632.00



w.e.f. 01/08/2020

DRUM CONTROLLER

<u>Step</u>	<u>Current Amp.</u>	<u>Type</u>	<u>Price</u>
4	25	4 DC/25 A	22440.00
4	40	4 DC/40 A	24882.00
4	60	4 DC/60 A	26862.00
6	60	6 DC/60 A	28116.00
6	90	6 DC/90 A	29898.00
7	90	7 DC/90 A	30294.00
5/3	150	5/3 D150 A	38148.00
(Dual operation for Main / Micro arrangement)			

NOTE :-

Drum controller are provided with zero interlocking concepts .
Price are without spring return type.

Spring return shell be provided at extra cost 300 Rs. Per Controller. Dead man's handle arrangement can be provided at extra cost 500 Rs. Per controller .

Shunt limit switch contacts arrangement can be provided at Extra cost 600 Rs. Per controller .

Dust proof arrangement can be provided as per clients requirements .

Terms & Condition :-

The quoted price are F.O.R our destination .

GST : Extra @18%

Guarantee : Our equipment is guaranteed for 12 month
From the date of supply against manufacturing defect .